



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

ARC Accomplishments & Collaborations Pursuing Challenges with Vision and Focus

Dr. Grace Bochenek Director, U.S. Army Tank Automotive Research, Development & Engineering Center May 10, 2010

maintaining the data needed, and including suggestions for reducin	completing and reviewing the collect g this burden, to Washington Headq ould be aware that notwithstanding	ction of information. Send commer juarters Services, Directorate for In	nts regarding this burden estimation Operations and Rep	ate or any other aspect ports, 1215 Jefferson D	existing data sources, gathering and of this collection of information, avis Highway, Suite 1204, Arlington with a collection of information if it	
		2. REPORT TYPE N/A		3. DATES COVERED		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
ARC Accomplishments & CollaborationsPursuing Challenges with Vision and Focus				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) US Army RDECOM-TARDEC 6501 E 11 Mile Rd Warren, MI 48397-5000, USA				8. PERFORMING ORGANIZATION REPORT NUMBER 20800		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) US Army RDECOM-TARDEC 6501 E 11 Mile Rd Warren, MI 48397-5000, USA				10. SPONSOR/MONITOR'S ACRONYM(S) TACOM/TARDEC		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) 20800		
12. DISTRIBUTION/AVAI Approved for pub	LABILITY STATEMENT lic release, distribut	ion unlimited				
13. SUPPLEMENTARY NO The original documents	otes ment contains color	images.				
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC		17. LIMITATION	18. NUMBER	19a. NAME OF		
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	OF ABSTRACT SAR	OF PAGES 13	RESPONSIBLE PERSON	

Report Documentation Page


Form Approved OMB No. 0704-0188



ARC's Cutting Edge Research



 Develop simulation and modeling tools for discovering and assessing critical ground vehicles technologies



University of Michigan

Oakland

Wayne

University State University

Universit y of

Clemson

Virginia

iemson Tech


Iowa

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



The ARC Community







ARC's Impact –Graduates



A string of graduate students that earned their MS degrees in the ARC, went on to teach at West Point and then moved to positions of responsibility in the Army:

- Sam Homsy
- George Seaward
- Chad Jagmin
- Wesley Williamson



- Dr. Matthew Castanier
- Dr. Scott Fiveland, Caterpillar
- Dr. Tim Jacobs, Texas A&M
- Mr. Sam Homsy, Navistar Defense LLC
- Dr. Joe Lin, Eaton
- Dr. Young Jae Kim, GM Hybrid Powertrain Eng.
- Dr. Bin Wu, Mercedes-Benz Hybrid LLC
- Dr. Vasilios Tsourapas, Eaton
- Mr. Hakan Yilmaz, Bosch
- Mr. Gerald Fernandes, Bosch
- Dr. Burit Kittirungsi, Cummins
- Dr. Jonathan Hagena, PACCAR
- Dr. Ian Darnell, Lawrence Livermore National Labs
- Dr. Jinzhong Wang, MSC software
- Dr. Geunsoo Ryu, Hyundai
- Dr. Kyung Won Suh, Hyundai
- Dr. Andreas Malikopoulos, GM R&D
- Dr. Jin Ming Liu, GM R&D
- Dr. Jeongwoo Han, Argonne National Laboratory



Texas A&M

Paccar

Bosch

GM

Cummins

Lawrence Livermore

National Laboratory Argonne

Hyundai

MSC Software

International

Caterpillar

Eaton











Scholarly Accomplishments



Current Participation

6 Universities
33 projects
27 professors
13 research scientists or postdocs
37 graduate students

Scholarly Output: Last 5 years

- Graduated 18 MS and 23 PhD
- Published 315 journal and conference papers
- 4 best paper awards (SAE, ASME, IEEE)
- 44 plenary, keynote, and distinguished lectures
- Fellows: 3 SAE, 4 ASME, 1 AAAS,1 IACM, 3 IEEE
- 8 external Research and Educational Awards
- 8 University Awards
- 2 Young Scientists/Young Innovator awards
- 25 Presidents, Chairs, and Executive Board Members of large technical societies

RDECOM


ARC Tech Transfer Reliability-Based Design Optimization

- Parallelized Reliability-Based Design Optimization Software System
 has been developed and installed on TARDEC HPC to improve the
 design of complex mechanical systems, such as Army vehicle
 systems, for durability and weight reduction. Examples:
 - High-mobility trailer drawbar
 - Stryker A-arm
 - HMMWV A-arm
 - FMTV frame for new engine and transmission










Stryker Left-Front A-Arm


- Obtain 2-sigma RBDO design: probability of failure less than 2.275%.
- Significant weight savings of 10.38 lbs from total weight of 53.0 lbs (19.6% reduction!).
- Improving probabilistic fatigue life 10.8 times.



HMMWV Left-Front A-Arm

- 328K DOF, used 16 HPC Parallel Processors.
- 2-sigma RBDO design.
- Improve fatigue life 2084 times.
- For 95% confidence level, the optimum weight is increased from 106.9 in³ to 184.56 in³.






TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.



Our Road Forward: The Energy Scale Challenge








Vehicle Centric Energy Systems



Optimal Sizing and Control of Vehicle Supported Military MicroGrid






ARC's Emphasis on Vehicle Power and Energy Efficiency

"Vehicles designed today will be in military service 50 years from today"

Impetus for improving efficiency

- Energy security and cost of fuel
- Steady increase of battlefield energy consumption





Research and Education in vehicle electrification

- Hybridization for efficiency
- Portfolio of Hybrid configurations
- Extra power for electronic equipment, navigation, active armor and weapons
- Silent watch capability
- Export-power capability

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

UNCLASSIFIED




ARC's Path from Fundamentals to Systems and Control


to

Session 2C

 Basic research of fuel energy conversion and storage




Diesel combustion, Alternative Fuels




Battery chemistry, thermal and health management


Next-generation of electric motor models



 Integrate accessories, develop representative duty-cycles, analyze power budgets



 Flexible hybrid electric vehicle system simulation in SIMULINK






Fuel Flexible Power



JP8, Diesel, Bio-fuels, Synthetic fuels



Motivation and constraints:

- Cost of Fuel
- Logistics
- Single Fuel Forward, but local supplies may dictate alternatives

Goal: Develop strategies for using a wide range of alternative fuels in future diesels


- Robust and reliable performance
- Fuel tolerant designs
- Diagnosability & Maintenance
- Visual signature



Session 1C

Adapt Regional Energy Sources

- Reaction paths and mechanisms
- Ignition Experiments
- Combustion Control and Adaptation
- Virtual Sensing and Diagnostics
- Fuel Processing & De-sulfurization
- Cold Start , Emissions, Efficiency



TECHNOLOGY DRIVEN, WARFIGHTER FOCUSED.



Fuel Conscious Shock Resistant Structures




Challenge: Design material properties at the micro-scale to alleviate the tradeoff between protection to impulsive loads and the weight reduction.

Approach: Robust and transparent numerical integration of simulation tools from the micro scale to the vehicle level; enable simulation and optimization of a vehicle design process


(Simulations of explosive threats; blast load and high velocity projectiles)

ImMAC from NASA Glenn (Integrated Multiscale Micromechanics Analysis Code)



All-steel structure Steel-composite structure Weight = 1631.2 Kg Weight = 1360.2 Kg

- Failure of outer floor
- No permanent damage in inner floor



floor with all-steel structure FIBER = SiC1 (SCS6);

Failure of outer floor

MATRIX = Ti-6Al-4V

Explosive threat: 6kg of C4 + steel projectiles

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Weight savings of 16.6%

• No permanent damage in inner floor

Same levels of deformation of inner



ARC's Commitment to our Soldiers and Students



